









Platinum Peach Project

Report on Grower Chain and Consumer Design of Experiments (DOEs)

Prepared for: Sarah Marshall and Adrian Huisman

Ontario Tender Fruit Producers' Marketing

Board

Prepared by: Value Chain Management Centre

George Morris Centre 225-150 Research Lane

Guelph, Ontario

N1G 4T2

Contact: Martin Gooch

Telephone: 519-822-3929 ext 216

Fax: 519-837-8721

Contact email: martin@georgemorris.org

Date: December 2010

Funding for this project has been provided by Agriculture and Agri-Food Canada through the Canadian Agricultural Adaptation Program (CAAP). In Ontario, this program is delivered by the Agricultural Adaptation Council.



Agriculture and Agri-Food Canada (AAFC) is committed to working with industry partners. Opinions expressed in this document are those of the Ontario Tender Fruit Producers' Marketing Board and not necessarily those of AAFC.



Executive Summary

This project was funded by the Agricultural Adaptation Council, with Vineland Growers Cooperative Ltd. and Loblaw Companies Ltd. as the main participants. The project was approved for a two-year period, covering 2010 and 2011. The first year focused solely on peaches, and the second will include continued work on peaches, as well as an expansion to include nectarines.

The first year's research sought to answer the following questions:

- 1. Do growing practices, such as laying reflective foil between rows of trees, summer pruning and leaf plucking (common in competitive stone fruit growing regions such as California) increase the value of Ontario-grown fruit as seen from a consumer point of view?
- 2. If adopted in Ontario, would these practices enable Ontario growers and retailers to achieve a higher value from the marketplace?
- 3. How effective are current cool chain and other practices that occur along the value chain, from the viewpoint of providing consumers with a consistently pleasurable eating experience?

Following an exploratory visit to California, this report examines grower practices first. Two grower/ packers were selected - one east and one west of the Welland Canal. Both growers have newer packing equipment technology. In both cases, graders were upgraded to allow for digital colour sorting.

Both growers set aside an area that was similar in age and variety. Each area was divided into eight blocks. Performance factors were evaluated using measurements that reflected Loblaw specifications on "regular" Ontario-grown peaches, and Ontario-grown Platinum Peaches. These eight experiments included the following:

- 1. Plucked leaves, no summer pruning, foil
- 2. Plucked leaves, summer pruning, foil
- 3. Plucked leaves, summer pruning, no foil
- 4. Plucked leaves, no summer pruning, no foil
- 5. No plucked leaves, no summer pruning, foil
- 6. No plucked leaves, summer pruning, foil
- 7. No plucked leaves, summer pruning, no foil
- 8. No plucked leaves, no summer pruning, no foil (control block)

From a cost perspective, calculations were based on labour at \$12.00 per hour. Each case of Platinum Peaches (approx. 15 lbs and approx. 20-25 peaches) earned the producers a



premium of \$3.00, or \$0.20 per pound. The summer pruning cost approx. \$1.13 per tree (6 minutes per tree), while the leaf plucking cost \$2.40 per tree (12 minutes per tree). Based on these costs, it is clear that leaf plucking is not financially feasible. However, it appears the addition of reflective foil, as well as summer pruning, has a greater positive effect on the production of platinum peaches.

The report also details results of the consumer research, a collaborative effort between the George Morris Centre, the Value Chain Management Centre, and the Vineland Research and Innovation Centre (VRIC). The project team utilized design of experiment (DOE) and empirically tested research techniques to provide objective data on the performance of the value chain and the resulting impact on peach quality. By physically tracking individual shipments of peaches along the value chain to measure temperature, brix, and pressure on multiple occasions, and conducting sensory evaluations tests using trained tasting panels, researchers were able to identify and correlate those factors that have the greatest impacts on consumer satisfaction. The results also suggest that packing fruit hot (immediately after harvest), then applying forced air cooling could also offer distinct benefits. These include opportunities to extend shelf life and increase consistency.

Together with the results of 1,000 in-store interviews with Ontario peach consumers in Loblaw stores, researchers found that the market is comprised of four separate kinds of buyers. They are distinct in income, education and household size. Results also showed that the following attributes are valued highly by consumers:

- Size and colour have the greatest effect on purchase patterns;
- Attributes associated with the "eating experience", such as flavour, taste, and internal texture, while important, are slightly lower on the scale to entice consumers to purchase Ontario-grown peaches;
- Price was found to be of moderate importance when making a purchase decision;
- Consumers, as a whole, put less value on Ontario-grown peaches or tree-ripened peaches. Those consumers who say they strongly support local production are less likely to be in the top 25% of purchasers of Ontario peaches by volume.

Experimental data suggest that reflective film, summer pruning and leaf plucking can increase the volume and quality of Ontario-grown Peaches. However, no one factor emerged as being statistically significant in the first year of the project. Having said this, both producers are encouraged enough by the outcome to undertake a more thorough and exhaustive experiment in 2011. Data also suggest that the combination of foil, leaf plucking and summer pruning increases brix levels significantly, which adds to the eating experience. These same factors also led to an increase in the volume of peaches of Platinum grade, and are therefore higher in value to producers.



A premium of \$3.00 per case, or \$0.20 per pound was achieved in 2010 by those growers who used foil, summer pruning and leaf plucking. The cost of leaf plucking is not sustainable, but it is very feasible to add the other two orchard practices in order to increase size, boost colour, and improve the overall quality of the peaches.



Table of Contents

1. F	Purpose	7
1.1	Project Objectives	8
2.	Project Activities	8
3. S	Summary of Findings from California Trip	9
4. (Orchard DOE	11
5.	Chain Design of Experiment (DOE)	13
6.	Consumer Research	18
6.1	In-store Research	18
6.2	2 VRIC Consumer Testing	19
6.3	B Destructive Tests	19
6.4	Sensory Tests	19
6.5	Consumer Tests	20
6.6	Alignment with DOE parameters	20
7.	DOE Analysis	21
7.1	Chain DOE results	21
7.2	2 Consumer/ Taste Tests	22
7.3	S Sensory Tests	27
8. 5	Summary and Recommendations	33
8.1	Summary of Findings	33
8.2	Recommendations for the 2011 Season	34
Agge	endix 1: VRIC SENSORY EVALUATION REPORT: Platinum Peach Project	35



1. Purpose

The concept of value chain management is to enable involved businesses to improve their profitability, while simultaneously creating consumer-recognized value through combining resources to achieve objectives that would otherwise not be possible. This requires leadership, vision, proactive sharing of information and effective governance.

The statement "the quality of your fruit determines your position in the market" is very true, particularly when consumers view produce as a destination category that has a marked influence on their purchasing behaviour. With a view of supporting the Ontario tender fruit industry in a move toward a premium peach, similar in size and quality to a California peach, in 2010 Loblaw Cos. Ltd (LCL) established criteria for a *platinum peach* and agreed to buy 7,000 cases per week of fruit that met the following specifications:

- >2 7/8 inch diameter:
- High degree of redness/blush;
- Brix >11%; and
- Pressure > 5 to 10 psi.

The purpose of this project is to assist Ontario's tender fruit industry in developing the capabilities required to readily adapt to this move, and to a rapidly changing business environment. This can only be achieved through improving quality management practices along the entire value chain – from orchard to retail store, which ultimately determine the value of Ontario tender fruit from consumers' perspectives. By better understanding consumer priorities and enabling stakeholders to increase the quality and consistency of fruit supplied across the overall category, this project also aims to capture premium prices for distinctly high quality fruit, aimed at specific consumer segment. Loblaw stores are the first in Canada to work with Ontario suppliers to market distinctly high quality tender fruit at premium prices, in the form of the platinum peach.

The project will result in greater opportunities for Ontario's tender fruit industry to exploit new and emerging market opportunities, in Canada and internationally. This is of critical importance, given that peach production is due to increase by 40% by 2012 and new markets are required to ensure that this increase in production does not result in a saturated local market – with resulting price implications. Improving the quality and marketability of Ontario-produced fruit will enable producers, marketers and retailers to capture greater value from their operations. It will also enable Ontario's tender fruit industry to reduce the hundreds of trailer-loads of peaches that have often been imported into Ontario and the rest of Canada during the local growing season.



1.1 Project Objectives

The project has five key objectives:

- 1. Increase the management capabilities of key stakeholders operating in Ontario's tender fruit industry, particularly for peaches and nectarines;
- 2. Develop the processes required to deliver the right quality of fruit in the right way to target consumers;
- 3. By so doing:
 - a. Increase the value of Ontario-grown tender fruit within the markets to which it is currently supplied;
 - b. Increase Ontario tender fruit producers' long-term competitiveness and profitability;
 - c. Strengthen the wider industry's long-term competiveness and profitability;
 - d. Enable Ontario's tender fruit industry to develop new markets, both in Canada and internationally;
- 4. Test the willingness of target segments of the consumer population to pay a premium for Ontario-grown peaches and nectarines that possess distinct high-quality attributes;
- 5. Reduce the volume of imported tender fruit that currently enters the Ontario and Canadian markets.

Achieving these objectives will enable Ontario's tender fruit industry to reposition itself as a competitive force in the minds of retailers and consumers. Retailers will be able to handle and merchandize Ontario fruit to the best of their abilities. Consumers will choose and value Ontario tender fruit ahead of the myriad alternative fruits available.

2. Project Activities

The Project's activities are designed to determine:

- The impact management practices have on fruit quality and consumer satisfaction;
- The extent to which pressure, brix and temperature change throughout the value chain, and potential drivers of any change;
- The optimum pressure and brix at picking; and pressure, brix and pulp temperature at packing for delivering the best consumer taste experience.

Research

The research took three forms. The first was a 'Production' experiment to establish which of the factors derived from a visit to California have the greatest effect on yields and peach qualities: foil, summer pruning and leaf thinning. This work included:



- A fact-finding mission to California, to acquire first-hand insights into the production, marketing, category management and research practices of businesses considered to be at the leading edge of supplier practices worldwide.
- A Consumer Design of Experiment (DOE), to determine the effects of pressure, brix and temperature on consumer satisfaction with platinum-grade peaches.

Two results of two related research activities, conducted in conjunction with the CAAP funding project, were also undertaken:

- Orchard Design of Experiment (DOE), to evaluate the effect on yields of foil, summer pruning, and leave thinning
- In-store interviews, to establish the relative importance of specific factors on driving peach consumers' purchasing behaviours.

Varieties

Six (6) varieties of peaches have been selected for the platinum project. The suitability of each variety for inclusion in the platinum project will be evaluated going forward after the participants have reflected on the results of the Orchard DOE, Chain DOE, and the consumer research.

Variety	Usual harvest date
Garnet Beauty	Jul 27 - 30
Red Haven	Aug 10 - 16
Coralstar	Aug 16 - 23
Allstar	Aug 26 - Sep 4
Harrow Beauty	Aug 27 - Sep 4
Glowingstar	Sep 7 - 13

3. Summary of Findings from California Trip

Presented below is a summary of a separate report, which detailed findings of the visit to California by key members of the project.

Fifteen to twenty years ago, the California fruit industry focused on size, colour and the ability to ship around the world. Taste and eating quality were of secondary importance. Standard practice involved harvesting into 950lb totes and hydro-cooling the fruit prior to packing. Today, neither of these activities continues. Hydro-cooling has been found to discolour the fruit and, importantly, grower/packers realized that by focusing on price first, they were creating negative outcomes, adversarial relationships and dissatisfied consumers. Flavour, as perceived by the end consumer, is now the key priority. This, along with improved shelf life, is managed through objective process control.



Communications through the chain are also well managed. In the past, it was common for suppliers to only visit with their main retailers immediately before the season, and as necessary during the season to secure a spot market order and relay the order back to the company. Communication with customers only occurred when an issue occurred; for instance, if the customer wanted to change an order or the supplier had more volume they wanted to sell. Today, grower/packers carefully select the retailers they wish to work with and manage these accounts more closely. For example, visits to the retailers occur two to three times over the year; programs are developed well in advance of the season; and managers are in constant communication across different functions of the chain.

The overall size of the California industry is much larger than Ontario's. Just one of the operators visited during the two-day trip produces more volume in conventional produce than the entire Ontario industry. In addition, some businesses also produce a substantial amount of organic product. While this enables large independent farms to create economies of scale that are not possible in Ontario, it is not the primary reason for their success.

Due to their size, some businesses in California are also able to fund and manage their own research facilities for developing new varieties. The aim of this is to ensure that they only plant the best tasting new varieties. These businesses source breeding stock through relationships with nurseries in almost 30 countries and strongly believe their future is defined by their ability to develop capabilities to supply specific products to specific markets. By focusing on being able to provide specific products for specific markets (i.e. early, midseason, late), growers have been able to expand their businesses and extend their seasons. All of the companies visited in California have also paid attention and adapted to market trends such as retail consolidation and increased consumer discernment. Therefore, all of the businesses carefully select the varieties they grow and do so for well-researched reasons relating to consumer satisfaction.

Some producers also grow additional products, such as berries, citrus, kiwi, peppers, broccoli, corn, apples and pears. One company in particular not only grows produce through the California season but also buys and sells produce internationally on behalf of its major customer. The company negotiates supply, prices, and programs from numerous farms located in various countries. By consolidating supply through central shipping points and using cross docking, this operator provides its major customer with greater control over quality, as well as access to progressive international suppliers. It has also improved communication throughout the chain.

Although the season is longer and the volume is larger in California, compared to Ontario, the conclusion is that it's not the weather, cost of labour, or size of operation that has made the



industry competitive. Rather, it is their attention to detail and implementation of processes that result in consistently high quality fruit through enforcing accountability throughout the chain. As one manager stated, "Volume is key to achieving efficiency, but effectiveness is key to remaining competitive and connected".

4. Orchard DOE

The purpose of the Orchard DOE was to establish, through experimentation, which of the factors derived from the visit to California have the greatest effect on yields and quality of Ontario-grown peaches. The factors researched were reflective foil, summer pruning and leave thinning.

Each grower set aside an "X" acre area of trees, homogeneous in variety and age. Each DOE was comprised of 8 distinct blocks, all of the same variety. The specifications used to evaluate the performance of each block reflected Loblaw's specifications for 'regular' and 'platinum' peaches.

Records were maintained of the fruit harvested and graded from each of the eight blocks.

	Fo	oil	No	Foil
Thinned Leaves	1.	2.	3.	4.
Thinned Leaves	No Prune	Prune	Prune	No Prune
No Thinned	5.	6.	7.	8.
Leaves	No Prune	Prune	Prune	No Prune

Therefore the 8 experimental blocks are:

- 1. Thinned leaves, no summer pruning, foil
- 2. Thinned leaves, summer pruning, foil
- 3. Thinned leaves, summer pruning, no foil
- 4. Thinned leaves, no summer pruning, no foil
- 5. No thinned leaves, no summer pruning, foil
- 6. No thinned leaves, summer pruning, foil
- 7. No thinned leaves, summer pruning, no foil
- 8. No thinned leaves, no summer pruning, no foil

The DOEs involved two growers/packers: Lepp Farms Inc/Shoreline Packers and Andrewes Limited. Each selected a small block of trees to conduct the experiment. A high level overview of findings is provided below.



- From a screening DOE there are indications that all three variables may positively impact the size and colour of the fruit as well as pressure and brix. However, the analysis was not statistically significant enough to justify major investments at the moment. Rather it suggests that a series of more robust DOEs is required.
- Each producer was sufficiently satisfied with the initial testing to agree to participate again in 2011.
- Specifics as to how each variable affected the outcome by grade of fruit are shown for both growers in the following tables.

Andrewes	Foil	Leaf pluck	Summer prune
Total packed	Negative effect	Positive effect	Positive effect
Bulk	Negative effect	Positive effect	No effect
3 Litre baskets	Not applicable	Not applicable	Not applicable
Plastic container	Negative effect	Positive effect	Negative effect
Platinum peach	Positive effect	Positive effect	Positive effect
Average pressure	Negative effect	Negative effect	No effect
Average Brix	Positive effect	Positive effect	Positive effect

Lepp/Shoreline	Foil	Leaf pluck	Summer prune
Total packed	No effect	Positive effect	Negative effect
Bulk	Negative effect	Negative effect	Negative effect
3 Litre baskets	Negative effect	Negative effect	Positive effect
Plastic container	Positive effect	Positive effect	Negative effect
Platinum peach	Positive effect	Positive effect	No effect
Average pressure	No effect	Positive effect	Positive effect
Average Brix	No effect	Positive effect	No effect

To determine economic feasibility of the three options, the following calculation assumed that if labour is \$12/hr, foil is \$180 for 4,000 feet, and it takes three minutes to prune one tree and six minutes to leaf pluck, then the cost to fully treat one tree is \$2.24. (\$0.44 foil, \$0.60 prune and \$1.20 to pluck).

- If the tree yields one case of platinum (~25) peaches at a \$3 premium, then the gross margin is \$0.75 per tree.
- If the tree yields 2 cases then the margin is \$3.75/tree.

Based on these figures, it must be concluded that whatever effect leaf plucking has on the production of platinum peaches, it is likely not financially viable to pursue.



5. Chain Design of Experiment (DOE)

The purpose of the Chain DOE was to assess the impact of individual links along the chain and the performance of the chain overall on three factors that were deemed important as indicators of fruit quality, and therefore consumer satisfaction: namely pressure, brix and temperature. The results would also enable informed assessments to be made of the impact of the chain's operations on the chosen varieties, the expectation being that the research results would enable the researchers to make informed recommendations on how the chain's overall performance could be improved.

The DOE was set up so that designated shipments of platinum peaches could be monitored as they traveled the full length of the value chain prior to consumer evaluation.

All peaches in this DOE had to meet criteria for a platinum peach - more than 2 7/8 inches in diameter and within a specified degree of colour (redness). The two growers/packers involved in the experiment were Lepp Farms Inc/Shoreline Packers and Andrewes Limited. The variety of peach was not considered as a factor in the experiment.

The DOE involved the three stated factors at two levels; therefore, a 2³, 8 run, full factorial experiment. This means that all factors were tested independently of each other.

The DOE array was as follows:

Packer	Run #	Y ₁ , Pressure	Y _{2,} Brix	Y ₃ , Temperature
Andrewes	Run 1	5 LOW	11 LOW	COLD
Andrewes	Run 2	9 HIGH	13 HIGH	COLD
Andrewes	Run 3	5 LOW	13 HIGH	COLD
Andrewes	Run 4	9 HIGH	11 LOW	COLD
Shoreline	Run 5	5 LOW	11 LOW	HOT/COLD
Shoreline	Run 6	9 HIGH	13 HIGH	HOT/COLD
Shoreline	Run 7	5 LOW	13 HIGH	HOT/COLD
Shoreline	Run 8	9 HIGH	11 LOW	HOT/COLD

The DOE lots were determined after packing. A Vineland Growers Co-op (VGC) intern measured and tracked the pressure and brix of five peaches per lot. The intern determined which lot the sample represented and labelled it 1 to 8 as appropriate. Each experimental lot was labelled to flag that a tray of 40 peaches was destined for Vineland Research Innovation Centre. The intention was to have three lots from each DOE run (1 thru 8) such that 24 trays of peaches would be tested at VRIC.



It was determined that the preferred point of determining the pressure and brix values and therefore the DOE run was immediately after packing. We did not, however, feel it was appropriate to experiment with peach temperatures to the extent that we might intentionally hold peaches in the kill zone (36 to 46 degrees F). Instead, we established that Andrewes and Shoreline have different packing procedures and chose the two pack/cooling methods as the temperature parameters.

Specifically, at Andrewes, peaches were placed directly into cold store as received, then brought out a day or so later for packing - before potentially going back into cold store until required. Alternatively, Shoreline hot-packed and sent their fruit to Vineland Growers Co-op's Virgil facility where there is a new 'cool wall'. This cool wall is designed to pull cold air through skids of packed fruit, quickly reducing pulp temperature.








Figure 2: DOE ID tracker label



Results

The first week VRIC was able to collect DOE lots of peaches from designated Loblaw and Zehrs stores. Thereafter, however, DOE shipments were collected at LCL's DC due to difficulties in tracking and segregation. Given the relatively small number of DOE shipments, the findings should be considered directional rather than statistically significant.

Figure 3 shows the differences in the median temperature of individual pieces of fruit that are cold vs. hot-packed, as they move along the value chain, and their relative appeal to the consumer panel. The initial temperature is taken at the point of packing. This would be after



being refrigerated for a day or longer (in the case of cold-pack), and on the same day as harvesting in the case of hot-pack. As can be seen, in all but one case, cold-packed fruit remains considerably warmer than hot-packed fruit through to being ready for dispatch from the LCL DC.

Figure 3: Median Temperatures of Cold vs. Hot-Packed Fruit




Figure 4: Details on shipments reported above

Figure 4: Details on shipments reported above
Shipments tracked through the chain and
relative consumer preference
Most liked (Redhaven from Andrewes -
5.2/7)
2nd most liked (Coralstar from Shoreline -
5.13/7)
3rd most liked (Redhaven from Andrewes -
5.03/7)
4th most liked (Redhaven from Andrewes -
5/7)
5th most liked (Coralstar from Shoreline -
4.69/7)
6th most liked (Redhaven from Andrewes -
4.39/7)
Least liked (Glowingstar from Shoreline -
4.25/7)

Figure 5 shows the median temperature of hot-packed vs. cold-packed shipments (not individual pieces of fruit) as they pass along the value chain. Data confirm that hot packing could be a more effective means of cooling fruit and ensuring that its temperature remains



below (or close to below) the kill zone - which leads to rapid breakdown and a subsequent loss of fruit.

Figure 5: Median Temperature of Shipments, Hot vs. Cold-Packed Peaches




Figure 6 shows that median brix measurements vary more in shipments of hot-packed versus cold-packed fruit. It is not known whether this reduction in brix within shipments of hot-packed fruit is an anomaly caused by the rapid cooling.

Figure 6: Median Brix, Hot vs. Cold-packed Peaches




Figure 7 shows the median pressure measurements of shipments of cold-packed versus hot-packed fruit. It is not known whether sudden increase in pressure in shipments of hot-packed versus cold-packed fruit at the time of receipt at LCL's DC is due to differences in pressure between fruit contained within the shipments, or is a testing error.






Figure 7: Median Pressure, Hot vs. Cold-packed Peaches

6. Consumer Research

6.1 In-store Research

In addition to the consumer research conducted by VRIC, in-store interviews were conducted in four LCL stores. To get a sense of the perceived value that Ontario consumers place on peach attributes, 1,000+ peach consumers were interviewed in Loblaw stores over two weeks during August 2010. Presented in a separate case study 'Industry Collaboration to Improve THE QUALITY OF ONTARIO'S PEACHES AND CAPTURE GREATER VALUE FROM THE MARKET', the findings are statistically significant and illustrate that the peach market is segmented.

High level findings from the research include the following:

- The market comprises four general groups of consumers, who are distinct regarding income, education and household unit size;
- Visual cues related to evaluating quality unequivocally have the greatest influence on consumers' purchasing decisions;
- Attributes associated with eating experience are of slightly lesser though still critically important to motivating consumers to purchase Ontario peaches;
- Price is of moderate importance in motivating consumers to purchase Ontario peaches. The relative importance of price to other factors fluctuates in relation to consumers' propensity to purchase peaches as individual fruit or packaged;
- Compared to visual cues and eating quality, most consumers place less value on whether peaches are grown in Ontario, or tree ripened.
- Consumers who say they strongly support local are less likely to be in the top 25% of purchasers of Ontario peaches, by volume.



6.2 VRIC Consumer Testing

Research methods

On receiving masters of fruit from each of the DOEs, the VRIC recorded the DOE number. As can be seen in Figure 8, at least one run was completed of every DOE configuration. In total, 14 DOE shipments were received by VRIC and subjected to three separate tests: destructive, consumer, sensory. Each test, described in more detail in Appendix 1, was designed to provide a different perspective.

Figure 8: Number of each DOE 'run' received by VRIC

DOE run number	Number of lots received by VRIC
1	1
2	2
3	1
4	2
5	2
6	2
7	3
8	1

6.3 Destructive Tests

Ten peaches were subjected to testing of temperature, pressure, brix and acidity, each being a destructive test. Three peaches from each DOE lot were sampled, making a total of 45 peaches. The average temperature was 43.75, Standard deviation was 1.13 and the range was 41.8 to 46.7. All units were measured in degrees Fahrenheit.

6.4 Sensory Tests

Ten peaches were subject to sensory testing by VRIC expert panel of sensory testing. Attributes included:

- Sweetness
- Acidity
- Bitterness
- Astringency
- Flavor
- Green Flavor
- Crispness
- Chewiness



- Firmness
- Juiciness
- Fuzz
- Smoothness

Ratings were recorded on a 100 point scale where 10 = weak and 90 = strong.

6.5 Consumer Tests

The remaining peaches were submitted to a VRIC consumer panel recruited from LCL consumer panels in the St Catherine's and Hamilton area. Each consumer tester rated each peach sampled on a 7 point hedonic scale where 1 = strongly dislike and 7 = strongly like.

6.6 Alignment with DOE parameters

The weakness of using a small sample of fruit to characterize an entire skid of fruit is that the sample does not necessarily reflect the characteristics of the entire shipment. Figure 9 shows, however, that the results of pressure and brix tests compared with the intended values for each DOE lot generally have a good alignment, even after a number of days in the value chain.

Figure 9: Comparison of each DOE Run's Base Values vs. Tested Values

DOE Run	DOE Se	ttings	VRIC Tests		Differences	
DOE Kull	Press	Brix	Ave P	Ave B	Press	Brix
1	5.0	11.0	4.7	6.9	0.4	0.3
2	9.0	13.0	7.0	9.7	3.4	3.3
2	9.0	13.0	6.2	9.4	-0.8	1.3
3	5.0	13.0	5.9	8.0	-2.9	3.3
4	9.0	11.0	6.3	8.8	5.0	0.4
4	9.0	11.0	6.2	8.7	-1.1	-1.2
4	9.0	11.0	6.7	8.9	2.9	-0.4
5	5.0	11.0	5.7	7.2	-0.9	0.2
5	5.0	11.0	5.6	7.2	-3.9	2.2
6	9.0	13.0	7.9	10.0	1.6	1.1
6	9.0	13.0	7.7	9.9	1.2	1.1
7	5.0	13.0	6.4	8.1	3.4	0.2
7	5.0	13.0	6.6	8.2	3.0	2.6
7	5.0	13.0	6.3	8.1	3.6	1.7
8	9.0	11.0	8.0	9.3	1.7	0.0



7. **DOE Analysis**

7.1 **Chain DOE results**

Figures 10, 11 and 12 show examples of the measured fluctuation in the pressure, brix, and temperature of three specific shipments of peaches as they passed along the value chain. They are titled according to the relative ranking provided by the VRIC consumer panel; as listed in Figure 4 (in section 5).




Figure 10: DOE Producing Fruit Ranked Highest by VRIC Consumer Panel



Figure 11: DOE Producing Fruit Ranked Second Highest by VRIC Consumer Panel





Figure 12: DOE Producing Fruit Ranked Lowest (least Liked) by VRIC Consumer Panel




7.2 Consumer/ Taste Tests

The above ranking was achieved through the consumer tests conducted by VRIC. Two sets of consumer research were undertaken by VRIC. The first analysis focused on the hedonic 7-point scale as rated by consumers. This is ordinal data so it was necessary to track the median rather than mean and standard deviation. The medians were extremely close (4.5 to



6) and such revealed no differences exist between experimental runs. Runs that scored a 6 and 7 as well as runs that scored 5, 6 and 7 were analyzed and the findings are presented below.

Figure 13: Standardized Effects of Pressure, Brix and Pack Method on Runs that Scored 6 and




Comments on statistical significance

In order to have statistical significance a single factor or two-factor interaction (bar) must extend beyond the vertical red line. We can see in the chart above that no factors (pressure, brix or pack method) impacted the experiments results in any significant way. However, they do provide an indication of what may happen should a more robust experiment or larger sample be taken, say next year.

Therefore, Figure 14 should not present a conflict between the indications from the main effects plots that follow. What we conclude is that the factors appear to have an effect but are of low statistical significance and we are therefore unable to recommend with certainty that a specific factor will deliver the desired result.



Figure 14: Main Effects of Pressure, Brix and Pack Method on Consumer Satisfaction (Ranked 6 or 7)



Main effects plot interpretation


The horizontal line is the grand average for the experiment. Each dot is the average effect for the stated factor. The units are in proportion or percentage.

Figure 14 shows that the factor with the greatest effect is the packer. Clearly, a higher proportion of 6 and 7 ratings indicates a higher proportion of consumer satisfaction and is therefore better. Shoreline was found to receive a higher percentage of 6 and 7 scores among consumers. Pressure and brix were found to have little effect. This analysis does not take into account the variety packed.



The following consider lots that were rated at 5, 6 or 7.


Figure 15: Standardized Effects of Pressure, Brix and Pack Method, Runs that Scored 5, 6 and



This also indicates that no one factor or two-factor interaction has statistical significance.



Figure 16: Main Effects of Pressure, Brix and Pack Method on Consumer Satisfaction (Ranked 5, 6 or 7)



Unlike the previous example, we see in Figure 16 that the packer has no impact on consumer satisfaction. Rather, low pressure and high brix were found to increase the proportion of consumer satisfaction scores at 5, 6 and 7.

Shown in Figure 17 is the extent of the effect that brix, pressure, or packing method appear to have on the hedonic scale afforded to specific DOEs.

Figure 17: Hedonic Scores Afforded to Specific DOEs

Response Attribute	Pressure (psi)	Brix (%)	Packer/Pack Method
Proportion at 6 and 7 on hedonic scale	No effect	13	Shoreline
Proportion at 5, 6 and 7 on hedonic scale	5	13	No effect
Sweetness	5	13	Andrewes
Juiciness	5	No effect	Andrewes
Flavour	5	13	Andrewes



7.3 Sensory Tests

The next analysis is focused on the expert sensory panel scoring for sweetness, juiciness and flavour. These attributes were selected because consumer research conducted by VCMC on behalf of LCL indicated they were the most important attributes for a premium peach from consumers' perspectives.




Figure 18: Standardized Effects of Pressure, Brix and Pack Method on Sweetness

In Figure 19, we can see that pressure, pack method, and the interaction of pressure and brix have statistical significance on sweetness.








Figure 19: Main Effects of Pressure, Brix and Packer on Sweetness

Low pressure, high brix and fruit from Andrewes deliver increased sweetness. From the results presented in Figures 20, 21 and 22, the pack/cool method requires further investigation. The fruit from Shoreline may have been 'put to sleep' by the cool wall so maturing ceased, whereas the fruit packed by Andrewes may have continued to mature through the supply chain. If this is the case, those packing through Shoreline and VGC cool wall may need to rethink their criteria for "ready to pick". Again, the variety picked and pack method are not included in this analysis.







The results show that high brix and low pressure is better from the standpoint of satisfying consumers' expectations of sweetness, an important element of overall eating quality. Whereas Andrewes' fruit can achieve consumer satisfaction with a brix of 11 or 13, to get the same result from the test panel, Shoreline must provide brix of 13 to get close to the same sweetness result.






Figure 21: Standardized Effects of Pressure, Brix and Pack Method on Juiciness

The above results show that no factor or 2-way interaction has a statistically significant on perceived juiciness.




Figure 22: Main Effects of Pressure, Brix and Packer on Juiciness



The overall results indicate that lower pressure has the greatest impact on increasing consumers' perceptions of juiciness. Brix has minimal impact. As can be seen below in Figure 23, from the standpoint of the consumer panel, Andrewes shipped more juicy peaches then Shoreline.

Interaction Plot for Juicy Data Means 11 13 A ndrewes Shoreline Pressure 45 9 **Pressure** 40 35 Brix 11 45 13 Brix 40 35 Pack method

Figure 23: Interaction Tables for Juiciness, by Packer

The above results indicate that Shoreline brix 13 is closest to Andrewes brix 11.

The following results compare packing method and packer/shipper with consumers' perceptions and satisfaction with flavour.



Figure 24: Standardized Effects of Pressure, Brix and Pack Method on Flavour





Figure 24 shows that no individual factor, nor 2-way interaction of factors, has a statistically significant impact on flavour. That said, Figure 25 shows that low pressure and higher brix are associated with consumers' satisfaction with flavour.

Figure 25: Main Effects of Pressure, Brix and Packer on Flavour





The relative impacts of factors described in Figures 23, 24, 25, are summarised below in Figure 26. As can be seen, peaches from Andrewes with low pressure and high brix achieved a better flavour score in the sensory panel tests.

Interaction Plot for Flavor
Data Means

11 13 Andrewes Shoreline

60 Pressure

5 9

Brix

Pack method

Figure 26: Interaction Tables for Flavour, by Packer

8. Summary and Recommendations

8.1 Summary of Findings

The research findings show that eating and visual quality have a direct effect on consumer satisfaction and the value they equate to peaches. They also show that:

- Visual cues have greatest influence on consumers' purchasing decisions;
- A relationship exists between peach pressure/softness and consumer satisfaction;
- A slightly lesser relationship exists between brix and eating quality;
- Reflective foil, summer pruning, and leaf thinning offer opportunities to enhance the attributes to which consumers equate the greatest value;
- Hot packing, followed by forced air cooling, appears likely to be an effective way of maintaining quality through the chain (and potentially extending shelf-life);
 - Though, as it reduces respiration and therefore the ripening process after harvest, using this approach is likely to require changes to how/when peaches are harvested.



8.2 Recommendations for the 2011 Season

To build on insights and lessons learned this year, ahead of the forthcoming 2011 research, we recommend that a number of revisions be made to the business and research practices. The recommendations are listed below. For clarity they are separated into operations associated with the overall research and individual links along the chain:

Overall:

- Appoint a full-time on-the-ground research coordinator for the entirety of the platinum season
 - And subsequent nectarine season
- Establish a methodology that more directly connects each link in the chain, from orchard to consumer testing
 - o Ensure the appropriate processes are in place to ensure a greater number of through-chain DOEs than occurred this year

Orchard DOE

- Review the orchard business model to determine which factors are financially viable if applied on a larger scale.
- Repeat the orchard experiment with only viable factors on a larger scale more blocks/growers and with different peach varieties.
 - With potential for modifying, then tracking, harvesting practices for hot-packed fruit
- Prepare the ground between rows to enable film to better reflect heat and light into the canopy.
 - o The same will also prevent water build-up occurring on the film.
- Exclude any outer rows of trees from the experiment.
- Take five to 10 pressure and brix samples per block per pick. This means up to 240 tests per (8 block) experiment at 10 samples and three picks per block

Packing / grading

- Pack each lot as soon after picking as possible.
- Ensure integrity of data through implementing standard recording procedures.

Consumer testing

 Consider new research arrangements. For example, one that is more reflective of consumers' at-home habits.

Shelf-life

Consider shelf-life tests to evaluate relative keeping quality of cold vs. hot-packed fruit



Appendix 1: VRIC SENSORY EVALUATION REPORT: Platinum Peach Project

Objectives

The overall objective of the project was to determine the impact of pressure, brix, and pulp temperature levels (as well as factors such as acid levels) on peach sensory properties and consumers' overall eating experiences. The peaches were selected according the Design of Experiments (DoE) provided by the Value Chain Management Centre/George Morris Centre. For this project, the Vineland Research and Innovation Centre committed to the following:

- Conduct instrument analyses on peaches sampled at the retail store
- Describe sensory properties and differences on the same sample lot using descriptive analysis with a trained sensory panel.
- Determine consumer overall liking on the same sample lot using hedonic tests.

Methodology

Products

The peaches were sourced on the Thursday morning of each testing week from different locations. Product information is outlined in Table 1. The tests were conducted between August 13th, 2010 and September 12th, 2010. Please note that tests were not conducted the second week due to lack of samples available for that purpose. In addition, some peach samples were evaluated although they were not part of the Platinum DoE project. In that case samples were supplied by a Zehrs store.



Table 1: List of peaches (DOEs and 'Zehrs' samples)

Week #	Sample type	DoE Code	Source	Number of peaches	Date of reception
		Lot 1	Store 562	received 2 trays of 35 peaches each	
Week1	DOE	Lot 4 (1)	Fortinos (Hamilton)	2 trays of 35 peaches each	August 12 th , 2010
vveeki	DOE	Lot 5 (1)	Store 536 Zehrs (St	2 trays of 35 peaches each	August 12 , 2010
		Lot 7 (1)	Catharines)	2 trays of 35 peaches each	
Week 2			No Sam	ples	
		Lot 2 (1)		1 tray of 42	
		Lot 3	Loblaws' DC (Cambridge)	1 tray of 42	
	Week 3 'Zehrs sample'	Lot 5 (2)		1 tray of 42	. acth acre
				peaches	
		Lot 6 (1)		1 tray of 42	
Week 3		Lot 8	1 tray of 42	August 26 th , 2010	
		Zehrs Tuesday (1)	Store 536	1 tray of 42	
		I I Zehrs I Zehrs (St	=	1 tray of 42	
	'Zehrs sample' Tuesday (2) Zehrs Wednesday	Lot 2 (2)		1 tray of 42	
		Lot 6 (2)	Loblaws' DC (Cambridge)	1 tray of 36 (6 peaches were missing)	Soutombou 2rd
Week 4		Zehrs Tuesday (2)	Store 536	1 tray of 42	September 3 rd , 2010
		Zehrs Wednesday (2)	Zehrs (St Catharines)	1 tray of 42	
	DOE	Lot 4 (2)*	Vineland	2 trays of 42	
Week 5	I = I + 7(2)* + Coop	Соор	2 trays of 42	September 12 th ,	
VVECK	'Zehrs sample'	Zehrs Tuesday (3)	Store 536 Zehrs (St	1 tray of 42	2010



	Zehrs Wednesday	Catharines)	1 tray of 42	
	(3)		•	

^{*}Due to visual differences, we chose to treat the 2 trays as different products, which is why there are 2 samples per DOE Lot for Week 5 (Lot 4(2)-Box 1, Lot 4(2)-Box 2, Lot 7(2)-Box 1, Lot 7(2)-Box 2).

For instrument analyses, 10 peaches were held in cold storage at 4 degrees. For sensory evaluation (consumer tests and trained panel), the others peaches were stored at room temperature 24 hours a day until the day of testing.

Instrumental analyses

The methods for the Determination of Temperature, Flesh Firmness, 'Brix, and Titratable Acidity are presented below:

Temperature

A digital probe thermometer was used to measure the flesh temperature of peaches immediately prior to other analyses. The probe was inserted into the shoulder of the peach, penetrating the flesh by about 3cm. Once the temperature displayed on the thermometer stabilized, it was recorded. Temperature values were determined using a Traceable Thermometer from Fisher Scientific (Ottawa, Ontario, Canada) and were recorded in °F.

Flesh Firmness

The flesh firmness of the peaches was measured twice per peach – once on each cheek. A very thin slice was removed from the centre of each cheek of the peach to remove the skin and expose the flesh. The flesh firmness was determined through a Magness-Taylor test. A rounded-tip probe, 5/16" in diameter, penetrated the peach flesh by 5/16". The maximum force required to penetrate the fruit by this distance was recorded, and used as a measure of fruit firmness. The Magness-Taylor test was performed using a TA XT Plus Texture Analyzer (Texture Technologies Corp., Robbinsville, New Jersey, USA/Stable Micro Systems, Godalming, Surrey, UK) equipped with a probe of 5/16" diameter. The flesh firmness was recorded as an average, per peach, in pounds (lbs.) force.

°Brix

After the flesh firmness was determined, the "Brix of the peach was measured using a refractometer. A wedge from each cheek of the peach was cut out with a clean knife. Each wedge was squeezed over the lens of the refractometer, separately, until a couple of drops of juice covered the lens. The refractometer measures the refractive index of the liquid, and reports the values as "Brix. "Brix was measured twice per peach using a digital refractometer, the PR- 101α , from ATAGO USA Inc (Bellevue, Washington, USA). The "Brix was reported as an average per peach.



NB – Many of the peaches for this project were too firm to squeeze juice out of manually. As a result, for most of the peaches, the "Brix was determined after juicing – see below. These measurements were also done in duplicate, and reported as an average.

Titratable Acidity

Titratable acidity was determined by titrating a known volume of peach juice with a standardized alkaline solution.

Peach juice was attained by juicing the peach with a household juicer. The peach skin was removed using a sharp knife, and the flesh was cut away from the stone. The flesh was juiced using Jack LaLanne's Power Juicer Elite purchased at Canadian Tire (Welland, Ontario, Canada).

The peach juice was centrifuged to settle any remaining pulp, and a 10mL aliquot of the juice was transferred to a beaker. 50mL of water were added to the beaker along with a stir bar. The solution was titrated, while stirring, with standardized 0.1N sodium hydroxide solution. The pH was monitored throughout the titration, with an Accumet Basic AB15 pH meter from Fisher Scientific (Ottawa, Ontario, Canada), and the juice solution was titrated to an endpoint of 8.10 pH units.

Titrations were performed in duplicate per peach to ensure precision and confidence in data. Titratable acidity was reported as an average, per peach, as grams of malic acid per 100mL peach juice.

Descriptive analysis

Panelists

Eleven members of the Vineland trained sensory panel (9 females, 2 males) participated in this study. For each session, there were nine panelists. Seven panelists participated in all the four measurement sessions. Panelists were divided in two groups according to their availability: some panelists came every Thursday evening and the others came every Friday morning. Panelists were compensated \$12/hr.

Training

Panelists were asked to rate the perceived intensity of attributes generated during training sessions. The list of all attributes is presented in Table 2. Please note that four training sessions (1.5 hour each) were run before the first week of measurement for introducing the project and generating the attributes. Also, during the measurement weeks, others training sessions were run every Wednesdays (2 groups: morning and evening) to re-calibrate the panelists.



Table 2: List of the Peaches attributes and definitions

Table 2: List	t of	the Peaches attribut	es and defin	nitio	ns			
		Tas	te and Sens	atio	n			
Descripto	r	Definition						
Sour		The taste stimulated by acids, such as citric, malic, phosphoric, etc.						
		Examples: Lemon, Vinegar						
		The taste stimulated by sucrose and other sugars, such as fructose,						
Sweet		glucose, etc., and by other sweet substances such as saccharin,						
		aspartame, etc. Examples: Candies, Soda						
Bitter		The taste stimulated by substances such as quinine, caffeine, and hop						
		bitters. Examples: Coffee, Endive						
		•			_	ing, or puckering of the		
		epithelium as a result of exposure to substances such as alums or tannins.						
Astringen	t	It is not a taste since it is not only perceived on the tongue. It is a mouth						
		feeling and you have no more saliva in the mouth. You have to water						
		your mouth to remove this feeling. Examples: Red wine, Cranberry juice						
Flavour		Examples. Rea wille,	Стипьенту ји	ке				
Flavour		Least Most anch						
Descripto	r	Definition			anchor	iviost afficient		
Peach	•				anchor			
		Peach which the flavour is not			Very ripe			
Green		existent.			peach	Unripe peach		
			Texture					
Descriptor		Definition	Least			Where? Skin, Flesh or		
Descriptor		Definition	anchor	IVIC	ost anchor	Both.		
	The	e force required to	Raspberry	Carrot		Both		
Firm	COI	mpress between						
	tor	ngue and palate.				Dotti		
		eaks apart in single						
		p. Higher frequency				Both		
		und.						
Crisp		rce of fracture when	Banana		Celery			
		ing-sound						
		oduced in initial						
	bit							
Juicy		nount of liquid	Dried	Watermelon		Flesh		
		eased when	Apricot					
		ewing. ne and number of	Pachhorn					
Chewy		ewing movements	Raspberry Dr		ed Apricot	Roth		
	CHE	ewing movements	Banana			Both		



	needed to rind the sample prior to swallowing.			
Fuzzy	The feeling of the outside skin on the tongue, lips and palate.	Nectarine	Peach	Skin
Smooth	Feeling on flesh on the tongue. Anchors: Fibrous to Smooth.	Celery	Avocado	Flesh

Samples

The peach samples were presented one by one. For each sample, panelists received two wedges (with the skin) from the eight-wedged peaches in three-digit-coded 2 oz plastic cups. The peaches were rinsed with cool, filtered water 30 minutes prior to evaluation. Peaches wedges were prepared at time of presentation and cut with a knife in eight similar wedges to be immediately distributed to the panelists.

Evaluation

Panel sessions were conducted in the Sensory Evaluation Laboratory at Vineland, equipped with 10 individual booths designed according to international standards. The panelists were instructed to taste the sample and to rate their perceptions on 15 cm intensity line scales, and anchored from 'weak' to 'intense'. Two replicates of measurement were conducted in the same session. A break of 20 minutes was made between the two replicates to avoid sensory fatigue. Samples were presented using a Williams Latin Square design, minimizing the first position and carry over effects.

Data Collection

Data were collected using the sensory software EyeQuestion (Logic 8, the Netherlands).

Consumer tests

Consumers Screening and Recruitment

Consumers were recruited from the Vineland Consumer Database, the Internet, and newspaper advertisements. Advertisements were posted on the following newspapers: St Catharines Standard, Niagara Falls Review, and Welland Tribune on the weekends of July 30 and 31 and August 20 and 21. Those who showed interest in participating in the study were contacted via email and phone to fill out an online questionnaire regarding their grocery shopping habits, food allergies and sensitivities, and availability. Subjects were also asked to provide contact information in order to be scheduled for participation in the study. If the



subjects met the predetermined participating criteria (no known food allergies, primary household grocery shopper, and peach consumer), they were invited to participate in the study. Subjects were informed that they would be compensated \$10/hr, and were expected to attend at least 3 of 5 available sessions. If they attended 4 sessions out of 5 sessions available, they received a \$15 gift card as a bonus, and if they attended all 5 sessions, they received a \$30 gift card as a bonus.

Subjects Attendance

The number of participants per week is listed in Table 3.

Table 3: Number of participants per week

Week	Week 1	Week 3	Week 4	Week 5
Total	32	40	32	36
Male	11	12	12	13
Female	21	28	20	23

- Number of subjects who attended a total of 4 sessions: 20
- Number of subjects who attended a total of 3 sessions: 12
- Number of subjects who attended a total of 2 sessions: 7
- Number of subjects who attended a total of 1 session: 9

Samples

Peach samples were taken out of cool storage (4 °C) and stored at room temperature 24 hours prior to the testing. Each sample was assigned a random 3-digit code. Samples were washed and sliced into eight wedges right before serving. Two wedges of each sample were served in 2 oz plastic cup. The order of the presentation was balanced using a William Latin Square design. One sample was served at a time.

Evaluation

Sample evaluations were conducted on Fridays in Rittenhouse Hall on the Vineland Research and Innovation Centre campus. On the scheduled testing day, subjects were asked to sign in upon arrival. They were given an oral explanation of the experiment purpose, compensation and procedure. Each subject was given a paper copy of the questionnaire and a subject identification number. They were asked to evaluate one sample at a time. For each sample, subjects were asked to taste the first wedge of the sample to rate their hedonic liking on a 7-point category scale, then taste the second sample wedge and select all the attributes that best described the sample overall. The listed attributes were sweet, sour, bitter, bland, peach taste, firm, crunchy, juicy, unripe, ripe (ok), over-ripe, grainy, and soft. Figure 1 provides an example of the questionnaire consumers had to fill out. It was recommended that subjects clean their palates with provided water and take a 2-minutes break between samples.



Subjects were compensated upon completion of each tasting session. The same procedure was followed for four weeks.

Figure 1: Example of consumer questionnaire

7- Point Cate	gory Scale					
on the line	scale belo	t wedge and ow. on level co				
Dislike Extremely		Dislike Ne Moderately no			Like Very Nuch	Like Extremely
Overall Attrib	outes Selectio	on				
	PRINCIPLE TO SERVICE	ge of this p				all the this sample
Sweet Peach tas Unripe	te Sour	Bitter Crunck Ok Over	ny 🔲 Ji	and nicy rainy		and our surprises the Th Stabilit

Data Collection

Data were collected by scanning all the paper questionnaires and by using the sensory software EyeQuestion (Logic 8, the Netherlands).